

IMPORTANT SAFETY AND INSTALLATION INSTRUCTIONS


WARNING: Risk of fire and electrical shock. This product is to be installed by a qualified electrician only.

CAUTION: When using electrical equipment, basic safety precautions should always be followed including the following: Read all instructions carefully before installation and save

for future use. Make sure installation and all connections are in accordance with National Electrical Code and any local regulations. To avoid possible electrical shock, be sure that power supply is turned off before installing or servicing this fixture. Servicing should be performed by qualified service personnel.

These instructions do not claim to cover all details or variations. When additional information is desired, please contact your SPI representative.

SAVANNAH CHANDELIER



NOTE: We recommend installing center fixture head to support arms last to allow for easier access to center hub.

STEP 1: Remove housings top ring cover by unscrewing four flat head screws at the rings outer perimeter. Slide lamp body into fixture and re-attach top plate and screws.


STEP 2: Twist the fixture housing so the tabs in the lamp body plate engage the slots in the fixture housings support plate.

STEP 3: Feed fixture lead wires through stem and thread stem into coupler on lamp body. Tighten coupler set screws. Remove knurl-nut from hang-straight on end of support arm and slide down stem. Slide canopy over stem. **Note:** Knurl-nut should be below the canopy.

STEP 4: Feed the fixture lead wires through hang-straight on the end of support arm. Using the opening on the side of the arm, feed wires through support arm to the hole at the center of the arm. Allow for approx. 6 inches to hang out of center hole.

STEP 5: Thread the fixture and stem into the hang-straight and slide canopy and knurl nut up into position with support arm. Tighten knurl-nut until canopy is secure.

Note: Repeat steps one through five on all fixture heads.



12/18/13

IS51101X

SHEET 1 OF 3

IMPORTANT SAFETY AND INSTALLATION INSTRUCTIONS


WARNING: Risk of fire and electrical shock. This product is to be installed by a qualified electrician only.

CAUTION: When using electrical equipment, basic safety precautions should always be followed including the following: Read all instructions carefully before installation and save

for future use. Make sure installation and all connections are in accordance with National Electrical Code and any local regulations. To avoid possible electrical shock, be sure that power supply is turned off before installing or servicing this fixture. Servicing should be performed by qualified service personnel.

These instructions do not claim to cover all details or variations. When additional information is desired, please contact your SPI representative.

SAVANNAH CHANDELIER



Note: Because fixture weight exceeds the structural capacity of a standard junction box, this fixture must be mounted independently of the junction box. Install safety cable per instructions on "SAFETY CABLE INSTALLATION" sheet.(IS53570X)

STEP 6: Secure the mounting bracket to the structure above (by others).

STEP 7: Feed fixture wires and the plain end of the safety cable through hole of "upper support arm", out the coupler at the top and through the stem. Thread the stem into the coupler and tighten set screws in the coupler.

Note: These are not the "fixture head" wires. The wires should remain hanging out of the hole near the center of the top support arm.

STEP 8: Slide angled stem retainer and chandelier canopy over stem. **Note:** Stem retainer should be below the canopy.

STEP 9: Hang stem and swivel ball in mounting bracket, take care not to pinch or cut wires at swivel bracket. Secure the safety strap on the swivel bracket with two screws. Secure safety cable to structural member (by others) per instructions on the "SAFETY CABLE INSTALLATION SHEET". Make sure the ball end cable is in the narrow end of the keyhole slot on the fixture and secured with retaining screw. See Figure 2 page 3.

STEP 10: Attach "lower support arm" to "upper support arm" with two bolts and two nuts through connecting bracket. See figure 1

STEP 11: Make electrical connections per code.

STEP 12: Slide center head canopy and knurl nut up to support arms and tighten knurl nut to hang straight until canopy is secure. Then slide chandelier canopy up to support bracket and secure with two flat head screws.




Figure 1

12/18/13

IS51101X

SHEET 2 OF 3

IMPORTANT SAFETY AND INSTALLATION INSTRUCTIONS


WARNING: Risk of fire and electrical shock. This product is to be installed by a qualified electrician only.

CAUTION: When using electrical equipment, basic safety precautions should always be followed including the following: Read all instructions carefully before installation and save

for future use. Make sure installation and all connections are in accordance with National Electrical Code and any local regulations. To avoid possible electrical shock, be sure that power supply is turned off before installing or servicing this fixture. Servicing should be performed by qualified service personnel.

These instructions do not claim to cover all details or variations. When additional information is desired, please contact your SPI representative.

SAVANNAH CHANDELIER



See detail to right for steps 13 thru 16

STEP 13

: Slide "angled multi-stem" into hole at top of support arm.

STEP 14



: Using the access hole at the side of the support arm, thread pin into hole at base of "angled multi-stem."

Note: Angled multi-stem should be centered on threaded pin.

STEP 15: Place fixture head canopy cover over canopy and arm. Secure with provided flat head machine screw.

STEP 16: Repeat steps 13 thru 16 on remaining support arm/angled multi-stems.

Note: Set screw and threaded pin not shown



See detail below for steps 18 thru 20

STEP 18: Lower tops of "Angled multi-stems" towards the main stem at the center.

STEP 19: After lining up stems with angled stem retainer holes, Lower retainer until stems slide through the retainers slotted holes and secure retainer to stem with provided set screw.

STEP 20: Secure multi-stems to retainer with provided threaded pins.

12/18/13

IS51101X

SHEET 3 OF 3