

IMPORTANT SAFETY AND INSTALLATION INSTRUCTIONS


WARNING: Risk of fire and electrical shock. This product is to be installed by a qualified electrician only.

CAUTION: When using electrical equipment, basic safety precautions should always be followed including the following: Read all instructions carefully before installation and save


for future use. Make sure installation and all connections are in accordance with National Electrical Code and any local regulations. To avoid possible electrical shock, be sure that the power supply is turned off before installing or servicing this fixture. Servicing should be performed by qualified service personnel.

These instructions do not claim to cover all details or variations. When additional information is desired, please contact your SPI representative.

LIGHTRUSS LED UPDATE - WIRING



TYPICAL LIGHTRUSS LED UPDATE FIXTURE TUB



03/17/22
IS112901X

IMPORTANT SAFETY AND INSTALLATION INSTRUCTIONS



WARNING: Risk of fire and electrical shock. This product is to be installed by a qualified electrician only.

CAUTION: When using electrical equipment, basic safety precautions should always be followed including the following: Read all instructions carefully before installation and save

for future use. Make sure installation and all connections are in accordance with National Electrical Code and any local regulations. To avoid possible electrical shock, be sure that the power supply is turned off before installing or servicing this fixture. Servicing should be performed by qualified service personnel.

These instructions do not claim to cover all details or variations. When additional information is desired, please contact your SPI representative.

LIGHTRUSS LED UPDATE - WIRING



03/17/22
IS112901X

IMPORTANT SAFETY AND INSTALLATION INSTRUCTIONS

WARNING: Risk of fire and electrical shock. This product is to be installed by a qualified electrician only.

CAUTION: When using electrical equipment, basic safety precautions should always be followed including the following: Read all instructions carefully before installation and save


for future use. Make sure installation and all connections are in accordance with National Electrical Code and any local regulations. To avoid possible electrical shock, be sure that the power supply is turned off before installing or servicing this fixture. Servicing should be performed by qualified service personnel.

These instructions do not claim to cover all details or variations. When additional information is desired, please contact your SPI representative.

LIGHTRUSS LED UPDATE - WIRING

Lead Wires for Opposite Top Tube Connection


Use Top Tube Lead Wires (Black and White Only) from Other Side.



CONFIGURATION FOR CONNECTION TO OPPOSITE TOP TUBE

Lead Wires for Second Top Tube Connection

Use Bottom Tube Lead Wires (Black and White Only) from Lower Channel.



CONFIGURATION FOR CONNECTION TO BOTH TOP LIGHTRUSS TUBES

03/17/22
IS112901X

IMPORTANT SAFETY AND INSTALLATION INSTRUCTIONS

WARNING: Risk of fire and electrical shock. This product is to be installed by a qualified electrician only.

CAUTION: When using electrical equipment, basic safety precautions should always be followed including the following: Read all instructions carefully before installation and save

for future use. Make sure installation and all connections are in accordance with National Electrical Code and any local regulations. To avoid possible electrical shock, be sure that the power supply is turned off before installing or servicing this fixture. Servicing should be performed by qualified service personnel.

These instructions do not claim to cover all details or variations. When additional information is desired, please contact your SPI representative.

LIGHTRUSS LED UPDATE - WIRING


DIRECTIONS TO REVERSE THE ORIENTATION OF THE LEDS

Step 1: Remove Wiring Covers.

Step 2: Disconnect all Mate-N-Lok Connectors from LED Modules.

Step 3: Lift out LED Modules and rotate 180 degrees. Reinsert LED Modules into Housing.

Step 4: Reconnect Mate-N-Lok Connectors and replace Wiring Covers.



03/17/22
IS112901X