



ASHLAND

Timeless design. Modern performance.



PRODUCT OVERVIEW

Classic designs never go out of style, which is why we continue to make time-honored luminaires like Ashland—now available in a state-of-the-art LED package. With efficacy of 104 lumens per watt, Ashland delivers the performance needed today in a traditional form that stands the test of time.

FEATURES & BENEFITS

- Timeless design
- · Nostalgic feel
- · Authentic glass opal diffuser
- · Choose from 4 diffuser shapes
- Aluminum or brass
- Pendant, ceiling, or wall mount
- Handcrafted in USA

SPECIFICATIONS

- LIGHT SOURCE: White LED light engine or incandescent
- LUMEN MAINTENANCE (LED): L70 = >50,000 Hrs.
- **EFFICACY:** 104 lm/W delivered
- **CCT:** 3000K, 3500K, or 4000K
- DRIVER:

Pendant: Class II power supply integrated in canopy. Max distance to the driver is 15' (includes OAH). For extended distances, contact factory. **Ceiling & Wall:** Integral Class II power supply standard

- **DIMMING:** 0-10V controls standard to 1% on LED light engines
- INTEGRATED SURGE PROTECTION: LED components are protected against minor surge events
- **DIFFUSER:** Opal glass
- **CONSTRUCTION:** Aluminum or brass
- **FINISH:** Choose from more than 30 thermoset polyester powder coat paint colors or various metal finishes. RAL®, Pantone®, or custom finishes available upon request.
- MODIFICATIONS: Consult factory for all modification requests
- APPROVALS: ETL listed to UL standards (US & Canada) for use in damp locations; not recommended for exterior applications









AVAILABLE FINISHES

Not all finishes are available in all configurations; consult factory for details.

Paint Colors

PT01 RAL9003 Signal White (Gloss)	PT51 Matte White (Textured)	PT02 White (Textured)	PT04 RAL9001 Cream (Textured)	PT67 RAL7044 Silk Grey (Textured)
PT53 RAL7035 Light Grey (Textured)	PT54 RAL7037 Dusty Grey (Textured)	PT55 RAL7012 Basalt Grey (Textured)	PT56 RAL7016 Anthracite Grey (Textured)	PT11 Black (Textured)
PT57 RAL1015 Light Ivory (Textured)	PT58 RAL8004 Copper Brown (Textured)	PT59 RAL6021 Pale Green (Textured)	PT60 RAL1019 Grey Beige (Textured)	PT61 RAL7006 Beige Grey (Textured)
PT62 RAL1003 Signal Yellow (Textured)	PT63 RAL3001 Signal Red (Textured)	PT64 RAL6001 Emerald Green (Textured)	PT65 RAL5005 Signal Blue (Textured)	PT66 RAL5003 Sapphire Blue (Textured)

Metallic Paint Colors

PT22	PT48	PT28	PT49	PT32	
Platinum (Metallic Gloss)	Brass (Metallic Textured)	Dark Stainless (Metallic Gloss)	Bronze (Metallic Textured)	Dark Bronze (Metallic Gloss)	
PT46					
Aluminum (Metallic Textured)					

Brushed Aluminum

BAL	
Brushed Aluminum	

Brushed Brass



Polished-Tinted Brass

ATBR	DTBR	PBR	
Antique Tinted Brass	Dark Tinted Brass	Polished Brass	₩.

Polished Plated Brass



Specialty Finishes



More RAL®, Pantone®, and custom finishes are available upon request. Setup fee and additional lead time applies. Call factory for details.

ASHLAND pendant











DIMENSIONS

classic




Catalog ID	Н	OAH	W1	W2
AIP8130	10.6 in	36 in	12 in	8.4 in
	(26.9 cm)	(91.4 cm)	(30.5 cm)	(21.3 cm)
AIP8131	11.6 in	36 in	14 in	8.4 in
	(29.5 cm)	(91.4 cm)	(35.6 cm)	(21.3 cm)
AIP8132	12.3 in	36 in	16 in	8.4 in
	(31.2 cm)	(91.4 cm)	(40.6 cm)	(21.3 cm)
AIP8133	15.3 in	36 in	18 in	8.4 in
	(38.9 cm)	(91.4 cm)	(45.7 cm)	(21.3 cm)

nouveau




Catalog ID	Н	OAH	W1	W2
AIP8134	11.3 in	36 in	14 in	8.4 in
	(28.7 cm)	(91.4 cm)	(35.6 cm)	(21.3 cm)
AIP8135	12.8 in	36 in	16 in	8.4 in
	(32.5 cm)	(91.4 cm)	(40.6 cm)	(21.3 cm)
AIP8136	14.8 in	36 in	18 in	8.4 in
	(37.6 cm)	(91.4 cm)	(45.7 cm)	(21.3 cm)

deco



Catalog ID	Н	OAH	W1	W2
AIP8137	19.8 in	36 in	10 in	8.4 in
	(50.3 cm)	(91.4 cm)	(25.4 cm)	(21.3 cm)

globe



Catalog ID	Н	OAH	W1	W2
AIP8138	13.3 in	36 in	10 in	8.4 in
	(33.8 cm)	(91.4 cm)	(25.4 cm)	(21.3 cm)
AIP8139	15.3 in	36 in	12 in	8.4 in
	(38.9 cm)	(91.4 cm)	(30.5 cm)	(21.3 cm)

CANOPY

Choose from two canopy styles.



Standard 8.4" canopy with 15° swivel.



10" canopy with 45° swivel.

Shape	Catalog ID	Size	Wattage	Delivered Lumens
	AIP8130	12 in		
	AIP8131	14 in	22	2,290
	AIP8132	16 in	43	4,476
	AIP8133	18 in		
	AIP8134	14 in		
	AIP8135	16 in	22 43	2,290 4,476
	AIP8136	18 in		
	AIP8137	10 in	22 43	2,290 4,476
	AIP8138	10 in	22	2,290
	AIP8139	12 in	43	4,476

Also available in incandescent.

ASHLAND ceiling











DIMENSIONS

classic




Catalog ID		Н
AIC8096	12 in (30.5 cm)	14 in (35.6 cm)
AIC8097	14 in (35.6 cm)	15 in (38.1 cm)
AIC8098	16 in (40.6 cm)	15 in (38.1 cm)
AIC8099	18 in (45.7 cm)	14.5 in (36.8 cm)

nouveau




Catalog ID		Н
AIC8100	14 in (35.6 cm)	14.9 in (37.8 cm)
AIC8101	16 in (40.6 cm)	14.9 in (37.8 cm)
AIC8102	18 in (45.7 cm)	14.9 in (37.8 cm)

deco



Catalog ID	W	Н
AIC8103	10 in (25.4 cm)	22 in (55.9 cm)

globe



Catalog ID		Н
AIC8104	10 in (25.4 cm)	15.5 in (39.4 cm)
AIC8105	12 in (30.5 cm)	17.5 in (44.4 cm)

Shape	Catalog ID	Size	Wattage	Delivered Lumens
	AIC8096	12 in		
	AIC8097	14 in	22	2,290 4,476
	AIC8098	16 in	43	
	AIC8099	18 in		
	AIC8100	14 in		
	AIC8101	16 in	22 43	2,290 4,476
	AIC8102	18 in		
	AIC8103	10 in	22 43	2,290 4,476
	AIC8104	10 in	22	2,290
	AIC8105	12 in	43	4,476

Also available in incandescent.

ASHLAND wall










DIMENSIONS -


classic






Catalog ID	W	Н	D
AIW12194	12 in	15.3 in	13 in
	(30.5 cm)	(38.9 cm)	(33 cm)
AIW9975	14 in	17.3 in	15 in
	(35.6 cm)	(43.9 cm)	(38.1 cm)


nouveau





Catalog ID	W	Н	D
AIW12195	14 in	15.3 in	14 in
	(35.6 cm)	(38.9 cm)	(35.6 cm)


deco





Catalog ID		Н	D
AIW12196	9.4 in	23 in	12.3 in
	(23.9 cm)	(58.4 cm)	(31.2 cm)

globe





Catalog ID	W	Н	D
AIW12197	10 in	17.1 in	12 in
	(25.4 cm)	(43.4 cm)	(30.5 cm)
AIW12198	12 in	19.3 in	13 in
	(30.5 cm)	(49 cm)	(33 cm)

Shape	Catalog ID	Size	Wattage	Delivered Lumens
	AIW12194	12 in	22	2,290
	AIW9975	14 in	43	4,476
	AIW12195	14 in	22 43	2,290 4,476
	AIW12196	9.4 in	22 43	2,290 4,476
	AIW12197	10 in	22	2,290
	AIW12198	12 in	43	4,476

Also available in incandescent.



262-242-1420