

PAVO




THE LEADER IN LUMINOUS FORMS

From svelte 2" lines to stately 12" diameter columns, we've got you covered with the biggest and best collection of luminous cylindrical forms.


Even illumination (top to bottom and radially) and well-finished ends satisfy the highest-end applications. True to minimalist design, there are no metal collars to break the form.




FAMILY OVERVIEW



Mount horizontally or on any angle



3- or 5-cylinder clusters





Exterior Interior

Wall mount

1'

2'

3'

4'

5'

6'



IMPECCABLE ILLUMINATION. IMPRESSIVE PERFORMANCE.

- Linearly-lit pendants provide 360° of illumination along the entire length of the lens
- Provides a pleasing visual accent while lighting vertical planes
- A separately controlled performance downlight* is available in various beam spreads to provide full lighting

*4", 6", 8" diameters

PAVO 2"

Create a striking visual accent with this industry first. Designed with groundbreaking purity and exceptional attention to detail, Pavo 2" is unlike anything you've seen before. Mount vertically or at any angle.

Catalog ID	Size	Wattage	Delivered Lumens
SIP12133	1/2'	10	835
	1'	8	668
	2'	8 16	668 1,336
	3'	12 24	1,002 2,004
	4'	16 32	1,336 2,672
	6'	24 48	2,004 4,008
	8'	32 65	2,671 5,425



PAVO 2" HORIZONTAL

360° of light in a weightless form. Pendants or continuous runs.

Catalog ID	Size	Wattage	Delivered Lumens
SIP12154	1'	8	668
	2'	8 16	668 1,336
	3'	12 24	1,002 2,004
	4'	16 32	1,336 2,672
	6'	24	2,004



PAVO 2" WALL

Clean and modern, it's the new basic design element for walls.

Catalog ID	Size	Wattage	Delivered Lumens
SIW12169	1'	5 7	537 752
	2'	7 14	752 1,504
	3'	10 20	1,074 2,148
	4'	14 28	1,504 3,007
	5"	18 36	1,933 3,866
	6'	21 42	2,255 4,511



PAVO 2" EXTERIOR

Bring refined design to outdoor spaces with this impeccably illuminated sconce. IP66-rated.

Catalog ID	Size	Wattage	Delivered Lumens
SEW12377	1'	5 7	537 752
	2'	7 14	752 1,504
	3'	10 20	1,074 2,148
	4'	14 28	1,504 3,007
	5'	18 36	1,933 3,866



PAVO 4", 6"

Minimalist form meets functional lighting with this handcrafted luminaire. When needed, a separately controlled 1,100 lm performance downlight is available with a 19°, 35°, or 45° beam spread.

Catalog ID	Size	Wattage*	Delivered Lumens
	1'	22	1,985
	2'	25 37	2,317 3,644
4" SIP12125 6" SIP12126	3'	33 52	3,201 5,303
	4'	40 67	3,976 6,962
	6'	56 97	5,745 10,280
	8'	71	7,404

*shown with common ambient/downlight combinations



10-day Quickship available on SIP12125, 2' length

PAVO 8", 10", 12"

Make an impression with this stately fixture. Whether hung as a solitary unit or in arrays, its presence is magnificent. When needed, a separately controlled 1,500 or 3,000 lm performance downlight is available with a 26° , 40° , 55° , or 90° beam spread.

Catalog ID	Size	Wattage*	Delivered Lumens
	2'	35 70	3,558 7,116
8" SIP12068	3'	49 99	4,930 9,958
10" SIP12069	4'	63 120	6,305 12,016
12" SIP12070	6'	92	9,144
	8'	120	11,888


*shown with common ambient/downlight combinations



PAVO 4", 6" CLUSTERS

Effortlessly group Pavos into a cohesive design element. Comprised of your choice of three or five luminous cylinders on a single canopy array, each configuration combines the simplicity, clean lines, and balanced luminance you're looking for in an ideal luminous form.





PAVO SQUARE

This rectangular pendant is centerlit with a four-sided light engine that runs the entire length of the lens. Handcrafted with exceptional attention to detail, the diffuser has mitered corners that give the luminaire its distinctive edge.



PAVO SQUARE 4", 6"

Crisp, clean, and impeccably illuminated, Pavo Square is distinguished by its exceptional fit and finish. Specifiy ambient only or add a separately switched 1,100 Im downlight with a 19° , 35° , or 45° beam spread.

Catalog ID	Size	Ambient Wattage	Ambient Lumens
	1'	22	1768
	2'	22 30	1768 2436
4" SIP12253	3'	26 38	2102 3104
6" SIP12254	4'	30 46	2436 3772
	6'	38 62	3104 5108
	8'	46 79	3772 6528



