

Lightruss Gen 2 - New Construction

LRU12462 18.00 in | Lightruss Focus

JOB NAME:
TYPE:
NOTES:

DESCRIPTION

Lightruss Gen 2 eliminates the need for multiple power drops and electrical conduit.


The dual-rail truss system allows for multiple circuitry, switching, and emergency circuits. The stealth design of Lightruss nests the high-performance luminaires atop the railway system – providing full cut-off and eliminating direct glare all while delivering an impressive 127 lumens per watt. With our innovative indirect lighting system, you can achieve the light levels needed for your projects with less luminaires.

Bonus! Lightruss delivers the lumens and performance needed to meet the NCAA Best Lighting Practices for broadcasting swim/water polo matches.

For a complimentary lighting layout, contact our applications team at SPIteam@spilighting.com.



DIMENSIONS



W	H	L
18 in	4 in	48 in
45.7 cm	10.2 cm	121.9 cm
Mounting Weight Consult Factory.		

CONFIGURATOR

To configure your spec sheet online, go to www.spilighting.com/LRU12462. Not all options are available in all configurations; consult factory for details.

Required Field *

Catalog	Light Source*	Primary Finish*	Voltage	Lamp Options	CRI	Controls	Options
LRU12462							
	A		B	C	D	E	F

A - LIGHT SOURCE *

☐ DF_L733W | 433W Ind / 94W Dir Asymmetrical

See last page for finish options

B - VOLTAGE

☐ 120-277V | Universal Voltage

C - LAMP OPTIONS

- ☐ 2700K | 2700K CCT
- ☐ 3000K | 3000K CCT
- ☐ 3500K | 3500K CCT
- ☐ 4000K | 4000K CCT
- ☐ 5000K | 5000K CCT

D - CRI

- ☐ 90
- ☐ 80 | (default)

E - CONTROLS

- ☐ DIM10 | 0-10V Control, 10% Dimming
- ☐ NONE | No Controls (default)
- ☐ AWRN | Lutron Athena Wireless Node, 1% Dimming
- ☐ NLTA | Acuity nLight Air, 1% Dimming

F - OPTIONS

- ☐ NAT | Natatorium Construction

Standard Finishes

The colors shown are representative. Their actual appearance may vary due to differences in display settings. You can request color chips by emailing contact@spilighting.com. Please note, finishes may not be available in all configurations.

Paint Colors

PT01 RAL9003 Signal White (Gloss)	PT51 Matte White (Textured)	PT02 White (Textured)	PT04 RAL9001 Cream (Textured)	PT67 RAL7044 Silk Grey (Textured)
PT53 RAL7035 Light Grey (Textured)	PT54 RAL7037 Dusty Grey (Textured)	PT55 RAL7012 Basalt Grey (Textured)	PT56 RAL7016 Anthracite Grey (Textured)	PT11 Black (Textured)
PT57 RAL1015 Light Ivory (Textured)	PT58 RAL8004 Copper Brown (Textured)	PT59 RAL6021 Pale Green (Textured)	PT60 RAL1019 Grey Beige (Textured)	PT61 RAL7006 Beige Grey (Textured)
PT62 RAL1003 Signal Yellow (Textured)	PT63 RAL3001 Signal Red (Textured)	PT64 RAL6001 Emerald Green (Textured)	PT65 RAL5005 Signal Blue (Textured)	PT66 RAL5003 Sapphire Blue (Textured)

Specialty Finishes



More RAL®, Pantone®, and custom finishes are available upon request. Setup fee and additional lead time applies. Call factory for details.