

Vextra Pendent

QIP12496 96.00 in | Vextra- Horizontal Linear

JOB NAME:
TYPE:
NOTES:

DESCRIPTION


Our Vextra pendant delivers a refined architectural presence with balanced illumination for modern interiors. Featuring a slim, open-frame design with uniform light distribution, this fixture provides both visual comfort and contemporary style for offices, conferences rooms, and collaborative spaces. Precision optics ensure glare control while maintaining high efficiency and a crisp, floating appearance.

FEATURES & BENEFITS

- 4' and 8' length options, 1000 lm/ft
- Transparent optics
- 0-10V dimming to 10%
- Continuous runs, up to 40' per power feed
- Application flexibility, T-grid or dry ceiling compatible
- UL Listed, Damp Rated, 5 years limited warranty



DIMENSIONS



W	H	MC	OAH	L
7.9 in	0.9 in	91 in	48 in	94.5 in
20 cm	2.3 cm	231.1 cm	121.9 cm	240 cm

Mounting Weight
Consult Factory.

CONFIGURATOR

To configure your spec sheet online, go to www.spilighting.com/QIP12496. Not all options are available in all configurations; consult factory for details.

Required Field *

Catalog	Light Source*	Primary Finish*	Voltage	Lamp Options	CRI	Mounting	Linear Run
QIP12496							
	A		B	C	D	E	F

A - LIGHT SOURCE *

☐ L80W | White 80W LED Light Engine

See last page for finish options

B - VOLTAGE

☐ 120-277V | Universal Voltage

C - LAMP OPTIONS

- ☐ 3000K | 3000K CCT
- ☐ 3500K | 3500K CCT
- ☐ 4000K | 4000K CCT

D - CRI

☐ DF_80 | (default)

E - MOUNTING

☐ PSA | Power Supply Canopy & Aircraft Cable (default)

F - LINEAR RUN

Select this option for runs longer than 8ft. Longer runs are made from 8ft sections, so the overall run length needs to be divisible by 8ft. Max run length not to exceed 40 Feet. For longer runs, please contact factory.



☐ RUN ¹ | Continuous Run

¹ For a take-off and pricing, contact factory

Standard Finishes

The colors shown are representative. Their actual appearance may vary due to differences in display settings. You can request color chips by emailing contact@spilighting.com. Please note, finishes may not be available in all configurations.

Paint Colors

PT02 White (Textured)		PT11 Black (Textured)	
---------------------------------	---	---------------------------------	---

Specialty Finishes



More RAL®, Pantone®, and custom finishes are available upon request. Setup fee and additional lead time applies. Call factory for details.